

**This Page Is Inserted by IFW Operations
and is not a part of the Official Record**

BEST AVAILABLE IMAGES

**Defective images within this document are accurate representation of
The original documents submitted by the applicant.**

Defects in the images may include (but are not limited to):

- **BLACK BORDERS**
- **TEXT CUT OFF AT TOP, BOTTOM OR SIDES**
- **FADED TEXT**
- **ILLEGIBLE TEXT**
- **SKEWED/SLANTED IMAGES**
- **COLORED PHOTOS**
- **BLACK OR VERY BLACK AND WHITE DARK PHOTOS**
- **GRAY SCALE DOCUMENTS**

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) PATENT APPLICATION
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 198774491 A1
(10) Patent No. 585160

(54) Title
Lottery machine

(51) International Patent Classification(s)
G07F 017/34 G07C 015/00

(21) Application No: 198774491 (22) Date of Filing: 1987.06.15

(30) Priority Data

(31) Number (32) Date (33) Country
PH6587 1986.06.26 AU

(43) Publication Journal Date: 1988.01.07

(44) Accepted Journal Date: 1989.06.08


(71) Applicant(s)
Aristocrat Technologies Australia Pty. Ltd.

(54) Inventor(s)
Philip Clive Crouch; Patrick James Finnigan

585
COMMONWEALTH OF AUSTRALIA

Patents Act 1952

APPLICATION FOR A STANDARD PATENT



We, AINSWORTH NOMINEES PTY. LIMITED,
a company incorporated under the laws of the State of New South
Wales, of 85-113 Dunning Avenue, Rosebery, New South Wales,
Commonwealth of Australia, hereby apply for the grant of a
Standard Patent for an invention entitled

"Lottery Machine"

which is described in the accompanying provisional specification.

Our address for service is:

F.B. RICE & CO.,
28A Montague St,
Balmain N.S.W. 2041

Dated this 24 day of June 1986

APPLICATION ACCEPTED AND AMENDMENTS


ALLOWED. 14-4-89

AINSWORTH NOMINEES PTY. LIMITED

By: 75213

Registered Patent Attorney

TO: The Commissioner of Patents,
COMMONWEALTH OF AUSTRALIA



Commonwealth of Australia
The Patents Act 1952
DECLARATION IN SUPPORT

In support of the (Convention) Application made by:

AINSWORTH NOMINEES PTY. LIMITED

for a patent for an invention entitled:

LOTTERY MACHINE

I (We) **LEONARD HASTINGS AINSWORTH**

of and care of the applicant company do solemnly and sincerely declare as follows:

~~XXXXXX~~ or

b) I am (We are) authorised by the applicant(s) for the patent to make this declaration on its behalf.

Delete the following if not a Convention Application.

The basic application(s) as defined by section 141 (142) of the Act was (were) made

~~XX~~

~~XX~~

~~XX~~

~~XX~~

~~XX~~

~~XX~~

~~XX~~

The basic application(s) referred to in this paragraph is (are) the first application(s) made in a Convention country in respect of the invention the subject of the application

~~XXXXXX~~ or

b) Philip Clive CROUCH. 8. Davis Avenue,
VAUCLUSE.

Patrick James FINNIGAN. 23/54 Solandar Street
MONTEREY. 2217.

~~XX~~ (are) the actual inventor(s) of the invention and the facts upon which

THE APPLICANT COMPANY

is (~~XX~~) entitled to make the application are as follows:

The applicant is a Company who would, if a patent were granted upon an application made by the actual inventor, be entitled to have the patent assigned to it, under the provisions of Section 34 (1) (fa) of the Act.

Declared at Sydney this 19th day of June 1986

Signed Leonard Hastings Ainsworth Status Managing Director.

Declarant's Name Leonard Hastings AINSWORTH.

F. B. RICE & CO PATENT ATTORNEYS
This form is suitable for any type of Patent Application. No legalisation required.

(12) PATENT ABRIDGMENT (11) Document No. AU-B-74491/87
(19) AUSTRALIAN PATENT OFFICE (10) Acceptance No. 585160

- (54) Title
LOTTERY MACHINE
- (51)⁴ International Patent Classification(s)
G07F 017/34 G07C 015/00
- (21) Application No. : 74491/87 (22) Application Date : 26.06.86
- (23) Filing Date of Complete Specification : 15.06.87
- (43) Publication Date : 07.01.88
- (44) Publication Date of Accepted Application : 08.06.89
- (60) Related to Provisional(s) : PH6587
- (71) Applicant(s)
AINSWORTH NOMINEES PTY. LIMITED
- (72) Inventor(s)
PHILIP CLIVE CROUCH; PATRICK JAMES FINNIGAN
- (74) Attorney or Agent
F.B. RICE & CO.
- (56) Prior Art Documents
68550/87 G07F 17/34
567001 52101/86 G07F 17/34

(57) Claim

1. A player operable instant lottery machine, comprising display means, control means to control the operation of the display means and initiation means operable by a player to cause the control means to select and display an electronic ticket representing a new result on the display means, said display means comprising means to simultaneously display several indicia in combination, said indicia being selected from a predetermined set of indicia and said combination being selected from a predetermined set of combinations of said indicia, the control means including storage means for storing an ordered set of game results representing all of the electronic tickets of a lottery game series which is currently in progress at the commencement of each game series, each game result being associated with a sequence number at the commencement of each game ^{series} ~~sequence~~ and being stored in sequence number order, random number selection means for selecting each sequence number in a random order, matching with it one of the game results comprising one of said indicia combinations from the predetermined

(11) AU-B-74491/87
(10) 585160

-2-

set and storing the game result in a location associated with the respective sequence number and means for selecting results from the ordered set in the order in which they are stored, in response to operation of the initiating means and displaying combinations corresponding to the respective results.

585160

COMMONWEALTH OF AUSTRALIA

Patent Act 1952

COMPLETE SPECIFICATION
(ORIGINAL)

Class Int. Class

Application Number : PH6587
Lodged : 26 June 1986

Complete Specification Lodged :
Accepted :
Published :

This document contains the
amendments made under
Section 49 and is correct for
printing.

Priority:

Related Art :

Name of Applicant : AINSWORTH NOMINEES PTY. LIMITED

Address of Applicant : 85-113 Dunning Avenue, Rosebery,
New South Wales,

Actual Inventors : Philip Clive Crouch
Patrick James Finnigan

Address for Service : F.B. RICE & CO.,
Patent Attorneys,
28A Montague Street,
BALMAIN. 2041.

Complete Specification for the invention entitled:

LOTTERY MACHINE

The following statement is a full description of this invention
including the best method of performing it known to us:-

The present invention relates to the running of instant lotteries and in particular the invention provides a lottery machine with which instant lotteries may be operated without the need to issue tickets.

5 Forms of lotteries known as instant lotteries are well known, wherein a set of tickets are produced, a predetermined portion of which are prize winning tickets. The set of tickets are then shuffled and sold to players, each of the tickets having a combination of indicia
10 printed thereon in a manner which is hidden from the player when the ticket is purchased. The indicia are subsequently revealed to the player by scratching an upper surface from the ticket or tearing the ticket open. Such forms of lotteries are quite popular, however, while they
15 enable small prizes to be paid immediately by the ticket seller, it is still necessary for the player to collect larger prizes from a central authority. Further, such lotteries still have a requirement that tickets be printed and distributed and winning tickets must be monitored in
20 order to prevent any possibility of forgery.

The present invention consists in a player operable instant lottery machine, comprising display means, control means to control the operation of the display means and initiation means operable by a player to cause the control
25 means to select and display an electronic ticket representing a new result on the display means, said display means comprising means to simultaneously display several indicia in combination, said indicia being selected from a predetermined set of indicia and said
30 combination being selected from a predetermined set of combinations of said indicia, the control means including storage means for storing an ordered set of game results representing all of the electronic tickets of a lottery game series which is currently in progress at the commencement of each game series, each game result being



associated with a sequence number at the commencement of
each game ~~sequence~~^{series} and being stored in sequence number
order; random number selection means for selecting each
sequence number in a random order, matching with it one of
5 the game results comprising one of said indicia
combinations from the predetermined set and storing the
game result in a location associated with the respective
sequence number and means for selecting results from the
ordered set in the order in which they are stored, in
10 response to operation of the initiating means and
displaying combinations corresponding to the respective
results.

In preferred embodiments of the invention machines
are provided with several game styles and after each game
15 series of a particular style, the game style is changed
and a new game series initiated in the new style, with
different winning percentages.

Preferably, the machine includes means for inserting
a payment, such as a coin slot and the initiating means
20 comprises a button or handle operated switch similar to
those in use in prior art poker machines. In the
preferred embodiment winning combinations of said indicia
are rewarded by payment of a cash prize, however, it will
be recognised that other forms of reward may also be
25 provided.

A preferred embodiment of the invention will now be
described, by way of example, with reference to the
accompanying drawings, in which:

Figure 1 and 2 illustrate two possible arrangements
30 for the outer casing of a lottery machine according to the
present invention;

Figure 3 schematically illustrates the operation of a
machine in accordance with the invention; and

Figures 4 and 5 illustrate flow charts describing the
35 operation of the machine of Figure 3;

Figure 6 illustrates the prize schedule of winning



combinations for a typical game played on a machine in accordance with the present invention; and

Figures 7 and 8 illustrate two steps in the generation of a game results table which is generated at the beginning of a game series.

Referring now to Figures 1 and 2, lottery machine cabinets in accordance with the present invention are illustrated wherein the display means 10 comprises a plurality of reels, a portion of each of which is visible through a respective window, the reels carrying a plurality of indicia such that, when the reels are stopped, one indicia from each reel is visible on the pay line in the respective window, thereby providing a combination of line indicia which indicate whether a prize has been won by the player.

A game cycle is initiated by the player by insertion of a coin or token into the coin slot 11 and the operation of the handle 12 of Figure 1 or the play button 17 of Figure 2 to cause the next game result to be selected from the ordered set of game results and to cause the reels of the display means 10 to rotate. When a game result has been selected, a combination of indicia representing that result is selected and the reels are caused to stop in positions which result in the selected indicia combination. If the new combination of indicia represents a prize winning combination a payout of coins or tokens is deposited into the tray 13 by the machine. Advice to the player regarding those combinations which are winning combinations would typically be displayed on the upper panel 15 of the machine and winning combinations may optionally be signalled by the alarm light and bell (not shown) located on top of the machine.

The basic operation of the preferred embodiment of the lottery machine of the present invention will now be described with reference to Figure 3, which schematically



illustrates a simplified form of the machine of Figure 1. Operation of the machine is controlled by a controller 20 which includes the memory 21 adapted to hold a set of game results which are randomly determined at the beginning of a game series. The game results held in memory 21 are randomly ordered by a random sequencer 22 at

5

6

7



the commencement of a new lottery game sequence, the random sequencer taking a predetermined set of results 23 and randomly allocating these to the games in a game series prior to writing them into the memory 21. The game results in memory 21 are then retrieved in the order that they are stored in the memory 21, once per game cycle with the cycle number being tracked by the cycle register 24. Typically there will be 300 games in a game series and when one series ends a new set of random results will be generated and the new game series commenced. In preferred embodiments successive game series will be of different game styles with differing payout ratios.

Once a game has been initiated and a game result has been retrieved for that game cycle, a combination table 25 is used to select a combination of indicia which correspond to that result and the reels are started spinning and stopped at the appropriate combination. In some instances several combinations of indicia might correspond to a given game result, in which case a combination will be selected which gives the appropriate length of spin of the reels.

In order to initiate a game cycle, the player first inserts a coin 30 into the coin slot 11 causing a coin acceptance switch 31 to signal the controller that a coin has been inserted. The controller then releases an interlock allowing operation of the handle 12 which operates a cycle initiation switch 32 to signal the controller to commence a new game cycle. The controller then selects the next game result from memory 21, selects a corresponding indicia combination from the table 25 and the result-to-combination converter 26 causes this combination to be displayed on display 10. Meanwhile, the coin 30a passes through the coin slot 11 and into the coin storage means 33. Once the display means has displayed the new combination, and if that combination is a winning

combination, the controller signals the payout mechanism 34 to pay a predetermined number of coins 30b from the coin storage means 33. The machine is then in condition for the commencement of the next game cycle. Referring now to Figure 4, the machine's operation is illustrated in flow chart form from which it will be seen that at commencement at the operation of the machine, initialization 101 occurs, and a new randomly ordered set of results is then generated and written to the memory 21 in the shuffling step 103. The procedure for results generation will be described in greater detail hereinafter, with reference to Figure 5. The machine then tests for a credit 104 and waits for coin insertion 105 if no credit is established. When a credit is present the machine waits for player initiation 106 of a game cycle at which time various meters such as game number and credit meters are updated 107. The next ~~pseudo~~^{electronic} ticket or game No. is selected 108 and the respective result is then selected 109 from memory 21 and the reels on display 10 are spun 110. After commencing spinning of the reels; conversion of the result to a pay line combination is performed by selecting a pay line combination 111 from the combination table 25 and the reels are then stopped 112 with the selected combination showing on the pay line. If the result was a winning result, the payout is then added to the credit meter 113.

At the end of each game, the game counter is tested 114 to determine if the completed game was the last game of a game series, and if so a new game style is selected and a new set of random results is generated 115 for the next game series. The number of winning combinations in the new game series will be determined in accordance with the new game style. In the preferred embodiment 4-6 game styles are provided, each having different combinations of payout sizes, and the machine cycles through all of the



game styles before returning to the first. Once a new game series has been generated 115, or if the previous series is not yet completed, the machine tests the credit meter 104 at commencement of a new game cycle and the process described above is repeated.

When a game series is completed, a new set of game results is generated and written to memory 21 using the procedure illustrated in Figure 5. This procedure is called at steps 103 and 115 of the procedure illustrated in Figure 4. Having established that a new game is to be generated, all locations in memory 21 are initially set to zero 201 and a pointer to the next game style is fetched 202. This pointer points to a table of all of the game results or electronic tickets for the new game style. Starting with the first electronic ticket, the next electronic ticket of the game style is selected 203 until all of the tickets for this style of game have been shuffled. Each result or electronic ticket is then assigned to a randomly selected location in the game memory 21 using a pseudo-random number generating algorithm 205 and the selected location is tested 208 to determine if a result has already been written to it. If no result has been written to the selected location, the present result is written to it 207 and the ticket counter is updated. Otherwise a new location is randomly selected 205 and tested 206. When the result has been written 207 and the ticket number updated 208, the next result is selected 203 and the same sequence followed until all electronic tickets of the game style have been assigned and written to unique memory locations in memory 21.

When all of the electronic tickets have been written to memory 21 the style pointer is tested 209 to see if it is pointing to the last style and if so the pointer is reset 211 to point to the first style. Otherwise it is updated 210 to point to the next style. The shuffle procedure



then terminates and control of the machine reverts to the procedure which initiated the shuffle.

Preferably, the display means 10 comprises a plurality of reels driven by stepping motors which step
5 the reels from the currently displayed indicia to the next indicia to be displayed, dictated by the combination selected from table 25 in response to the result selected from memory 21. However, it will be recognised that the display could equally include a video screen which was
10 controlled to display the appropriate indicia.

Whilst each lottery game series is played individually, winning combinations in each game style will represent the same payout. For example, the combination (BELL BELL BELL) in game style 1 might pay twenty coins
15 and the combination (BELL BELL BELL) in game style 3 will also pay twenty coins, such that there is no need to state the combinations more than once on a score card associated with the machine. However the probability of achieving a particular combination will vary from game style to game
20 style.

The following five tables illustrate typical lottery game styles and the result distribution relevant to these, while Figure 6 illustrates the pay line combinations relevant to each payout size for each of the game styles.

25 Each of the five lottery game styles shown consist of 300 ~~pseudo~~^{electronic} tickets and each ~~pseudo~~^{electronic} ticket would typically be purchased for twenty cents while the prize total for each lottery game style would not exceed \$50.00.



TABLE 1

LOTTERY STYLE 1

PRIZE DISTRIBUTION	COINS	PERCENTAGE OF EACH PRIZE
25 x 1 COIN PAY =	25	8.33
14 x 2 COIN PAY =	28	9.33
5 x 5 COIN PAY =	25	8.33
3 x 10 COIN PAY =	30	10.00
3 x 14 COIN PAY =	42	14.00
2 x 20 COIN PAY =	40	13.33
1 x 50 COIN PAY =	50	16.67
<hr/> 53	<hr/> 240	<hr/> 80%

RETURN IS $\frac{240}{300} \times \frac{100}{1}$

= 80% TO PLAYER

$\frac{300}{53}$

= 1/5.66 HIT RATE AVERAGE

TABLE 2

LOTTERY STYLE 2

PRIZE DISTRIBUTION	COINS	PERCENTAGE OF EACH PRIZE
16 x 1 COIN PAY =	16	5.33
15 x 2 COIN PAY =	30	10.00
5 x 5 COIN PAY =	25	8.33
1 x 10 COIN PAY =	10	3.33
1 x 14 COIN PAY =	14	4.67
1 x 20 COIN PAY =	20	6.67
1 x 125 COIN PAY =	125	41.67
<u>40</u>	<u>240</u>	<u>80%</u>

RETURN IS $\frac{240}{300} \times \frac{100}{1}$

80% TO PLAYER

$\frac{300}{40}$

1/7.50 HIT RATE AVERAGE

TABLE 3

LOTTERY STYLE 3

PRIZE DISTRIBUTION	COINS	PERCENTAGE OF EACH PRIZE
17 x 1 COIN PAY =	17	5.67
30 x 2 COIN PAY =	60	20.00
7 x 5 COIN PAY =	35	11.67
1 x 10 COIN PAY =	10	3.33
2 x 14 COIN PAY =	28	9.33
2 x 20 COIN PAY =	40	13.33
1 x 50 COIN PAY =	50	16.67
<u>60</u> <u>102</u>	<u>240</u>	<u>80%</u>

$$\frac{240}{300} \times \frac{100}{1}$$

= 80% TO PLAYER

$$\frac{300}{60}$$

= 1/5.0 HIT RATE AVERAGE

TABLE 4

LOTTERY STYLE 4

PRIZE DISTRIBUTION	COINS	PERCENTAGE OF EACH PRIZE
20 x 1 COIN PAY =	20	6.67
13 x 2 COIN PAY =	26	8.67
3 x 5 COIN PAY =	15	5.00
2 x 10 COIN PAY =	20	6.67
1 x 14 COIN PAY =	14	4.67
1 x 20 COIN PAY =	20	6.67
1 x 125 COIN PAY =	125	41.67
<u>41</u> <u>177</u>	<u>240</u>	<u>80%</u>

$$\text{RETURN IS } \frac{240}{300} \times \frac{100}{1}$$

= 80% TO PLAYER

$$\frac{300}{41}$$

= 1/7.3 HIT RATE AVERAGE

TABLE 5
LOTTERY STYLE 5

PRIZE DISTRIBUTION	COINS	PERCENTAGE OF EACH PRIZE
20 x 1 COIN PAY =	20	6.67
16 x 2 COIN PAY =	32	10.66
4 x 5 COIN PAY =	20	6.67
2 x 10 COIN PAY =	20	6.67
2 x 14 COIN PAY =	28	9.33
1 x 20 COIN PAY =	20	6.67
2 x 50 COIN PAY =	100	33.33
<u>47</u> <u>102</u>	<u>240</u>	<u>80%</u>

RETURN IS $\frac{240}{300} \times \frac{100}{1}$

= 80% TO PLAYER

$\frac{300}{47}$

= 1/6.38 HIT RATE AVERAGE

CLAIMS

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:-

1. A player operable instant lottery machine, comprising display means, control means to control the operation of the display means and initiation means operable by a player to cause the control means to select and display an electronic ticket representing a new result on the display means, said display means comprising means to simultaneously display several indicia in combination, said indicia being selected from a predetermined set of indicia and said combination being selected from a predetermined set of combinations of said indicia, the control means including storage means for storing an ordered set of game results representing all of the electronic tickets of a lottery game series which is currently in progress at the commencement of each game series, each game result being associated with a sequence number at the commencement of each game ^{Series} ~~sequence~~ and being stored in sequence number order, random number selection means for selecting each sequence number in a random order, matching with it one of the game results comprising one of said indicia combinations from the predetermined set and storing the game result in a location associated with the respective sequence number and means for selecting results from the ordered set in the order in which they are stored, in response to operation of the initiating means and displaying combinations corresponding to the respective results.
2. The lottery machine of Claim 1 wherein a plurality of styles of lottery game are provided, each style having a different set of results, and a new style being selected each time a set of game results is selected at the commencement of a game series.
3. The lottery machine of Claim 2 wherein the games are selected in sequence and when each of the plurality of styles has been used, the first style is repeated.



4. The lottery machine as claimed in any one of the preceding claims wherein the display means comprises a plurality of rotatable reels each carrying a plurality of indicia from said set of indicia and means to rotate the reels and stop them at selected indicia.
5. The lottery machine of Claim 4 wherein the reels are



free spinning and are stopped spinning by engaging a pawl into a toothed wheel.

6. The lottery machine of Claim 4 wherein the reels are driven by an electric motor and are stopped by braking the electric motor.

7. The lottery machine of Claim 6 wherein the electric motor is a stepping motor.

8. The lottery machine as claimed in any one of the preceding claims wherein the display means comprises a video screen and a video screen controlling circuit adapted to generate images on the screen representative of a plurality of rotatable reels, such that the display may be made to initiate a plurality of spinning reels which when stopped indicate the indicia combination representing the game result.

9. A player operable lottery machine substantially as hereinbefore described with reference to the accompanying drawings.

DATED this 12th day of June 1987.

AINSWORTH NOMINEES PTY.

LIMITED

Patent Attorneys for the
Applicant:

F.B. RICE & CO.

DRAWINGS




FIG. 1




FIG. 2

74491/87




FIG. 3

74491/87





FIG. 4





































74491/87

FIG. 5



WINNING COMBINATIONS

PRICES (COINS)

			125
			125
			50
			20
			14
			10
			5
			2
			2
			2
			1
			1

 SUBSTITUTES FOR    
ON ALL REELS FOR WINNING GAMES AS SHOWN ON PRIZE SCHEDULE

FIG. 6

"TICKET" No.

1	-
2	-
3	ONE COIN
4	-
5	-
6	ONE COIN
7	-
8	-
9	-

293	-
294	-
295	-
296	-
297	-
298	-
299	-
300	ONE COIN

FIG. 7

"TICKET" No.

1	-
2	-
3	ONE COIN
4	-
5	TWENTY COINS
6	ONE COIN
7	-
8	-
9	-

293	-
294	-
295	FIVE COINS
296	-
297	-
298	-
299	-
300	ONE COIN

FIG. 8